

OPTIPLEX

# 5000 Tower, Small Form Factor and Micro

Intelligent desktops with right-sized performance and configurability



### Technology that revolves around you

Our most intelligent business desktops, featuring the builtin Al of Dell Optimizer, enable personalized performance and configurability

#### Most powerful OptiPlex yet

Intel vPro® with 12th Gen Intel® Core™ i7 processors deliver business-class performance that accelerates productivity while minimizing security risks by leveraging technologies deep in the silicon1

#### Most intelligent with Dell Optimizer<sup>3</sup>


More intuitive app performance, connectivity and audio experiences

#### Ventilated O front bezel

Optimizes air intake to keep your system cool and protected

#### Wi-Fi6E option

Future-proof your IT with the industry's fastest speeds<sup>2</sup>





#### Most sustainable OptiPlex yet

With up to 60% recycled materials4 including 1st ocean-bound plastics.5 EPEAT Gold and ENERGY STAR qualified on select configurations

#### Support 8K resolutions displays

Optional DP port lets you experience visual effects with better color grading and motion stabilization



Our greatest

accessories

mounts

breadth of custom

including all new micro

### Native support for up

Without the need for additional graphics card

#### Take control with Intel® vPro® Essentials

Remote management of multiple terminals now available for OptiPlex 5000

#### Experience immersive visuals

With integrated graphics and optional NVIDIA and AMD discrete graphics cards

#### Faster DDR4 memory speeds

Support for up to 128GB DDR4 memory with speeds up to 3200MHz makes your most efficient days possible

# to 4 displays

### Sustainability on OptiPlex

OptiPlex is a leading platform for sustainable innovation and utilizes the most recycled content of all Dell PCs with up to 60% recycled plastic and closed-loop materials in its design.







### Design

### 1st

OptiPlex was the first Dell product made with recycled materials in 2007.6

#### Sustainable Materials

## 60%

OptiPlex desktops contain up to 60% recycled and closed-loop materials.

### Packaging Innovation

## 87%

87% of Dell's packaging is made from recycled or renewable materials.

### **OPTIPLEX HAS**

## 100+

EPEAT registered products\*



## 40+

TCO certified configurations



## 8.0

ENERGY STAR® throughout the portfolio



Dell Optimizer We make it intelligent. You make it yours.

Dell Optimizer revolutionizes the way you work by fueling the world's most intelligent PCs<sup>12</sup>. It is the only business, Al-based optimization software that learns and responds to the way you work and is designed to automatically improve application performance, audio settings and network connectivity—all in the background while you're working.

Accomplish anything with built-in intelligence that learns and adapts.





#### Improved performance

ExpressResponse<sup>13</sup> analyzes how you use your preferred apps<sup>14</sup> to boost performance.



#### Enhanced audio

Intelligent Audio delivers audio and mic enhancements and reduces background noise using Neural noise cancellation.



#### **Unmatched connectivity**

ExpressConnect<sup>15</sup> provides the world's first simultaneous multinetwork connection<sup>16</sup> that joins the best network<sup>17</sup> available.



#### Simplified manageability

Elevate work experience with an easy-to-manage application that provides a seamless experience for both end-users and IT decision-makers.



#### RECOMMENDED ACCESSORIES FOR HOME OR OFFICE WORKSPACES



#### Dell UltraSharp 24 Monitor - U2422H

Elevate your productivity on this 24" FHD monitor with brilliant color coverage and ComfortView Plus, an always on built-in low blue light screen.



### Dell Pro Wireless Keyboard and Mouse - KM5221W

Enhance your everyday productivity with a quiet full size keyboard and mouse combo that offers programmable shortcuts and 36 months battery life.



#### Dell Pro Stereo Headset – WH3022

Experience exceptional audio clarity with this Teams certified wired headset with a customized fit.



#### Dell Speakerphone -SP3022

Experience crystal-clear conference-calls with the world's most intelligent Microsoft Teams-certified speakerphone.



#### OptiPlex Tower, Small Form Factor Cable Covers

Thermally tested design offers an easy to install and attractive way to manage cables and secure ports.



#### OptiPlex Small Form Factor All-in-One Stand – OSS21

Create a clean workspace for your Small Form Factor with integrated cable management and full range monitor adjustability.



#### OptiPlex Micro All-in-One Stand -MFS22

Adjustable, compact stand for your micro creates a clean, open workspace with minimal cables.



#### OptiPlex Micro Dual VESA Mount with Adapter Bracket

Versatile micro mounting solution for ideal use with Dell MSA20 or Dell MDA20 Monitor Arms.



#### OptiPlex Micro Allin-One VESA Mount for E-Series Monitors with Base Extender

Easily mount your micro to select Dell E-Series monitors.



#### FEATURE TECHNICAL SPECIFICATION

MODEL NUMBER<sup>1</sup> OntiPlex 5000 Tower

#### PROCESSOR OPTIONS<sup>1</sup>

Intel® Pentium® Gold G7400, 6MB cache, 2 cores, 4 threads, up to 3,70GHz, 46W

12th Generation Intel® Core™ i3-12100, 12MB cache, 4 cores, 8 threads, 3.30GHz to 4.30GHz, 60W

12th Generation Intel® Core™ i3-12300, 12MB cache, 4 cores, 8 threads, 3.50GHz to 4.40GHz, 60W 12th Generation Intel® Core™ i5-12400, 18MB cache, 6

cores, 12 threads, 2.50GHz to 4.40GHz, 65W 12th Generation Intel® Core™ i5-12500 vPro®, 18MB cache, 6 cores, 12 threads, 3.00GHz to 4.60GHz, 65W 12th Generation Intel® Core™ i5-12600 vPro®, 18MB cache, 6 cores, 12 threads, 3.30GHz to 4.80GHz, 65W 12th Generation Intel® Core™ i7-12700 vPro® 25MB cache, 12 cores, 20 threads, 2.10GHz to 4.90GHz, 65W

#### TECHNICAL SPECIFICATION

OntiPlex 5000 Small Form Factor

Windows 11 Home, 64-bit

Windows 11 Pro, 64-bit

Intel® Pentium® Gold G7400, 6MB cache, 2 cores, 4 threads up to 3.70GHz 46W

12th Generation Intel® Core™ i3-12100, 12MB cache, 4 cores, 8 threads, 3.30GHz to 4.30GHz, 60W 12th Generation Intel® Core™ i3-12300, 12MB cache, 4

cores, 8 threads, 3.50GHz to 4.40GHz, 60W 12th Generation Intel® Core™ i5-12400, 18MB cache, 6 cores, 12 threads, 2.50GHz to 4.40GHz, 65W

12th Generation Intel® Core™ i5-12500 vPro®, 18MB cache, 6 cores, 12 threads, 3.00GHz to 4.60GHz, 65W 12th Generation Intel® Core™ i5-12600 vPro®, 18MB cache, 6 cores, 12 threads, 3.30GHz to 4.80GHz, 65W 12th Generation Intel® Core™ i7-12700 vPro® 25MB cache, 12 cores, 20 threads, 2.10GHz to 4.90GHz, 65W

Windows 11 Downgrade (Windows 10 image)

Windows 11 CMIT Government Edition, 64-bit

(China only)
Kylin Linux® Desktop version 10.1 (China only)

4GB, 1 x 4GB, DDR4, 3200MHz, single-channel

8GB, 1 x 8GB, DDR4, 3200MHz, single-channel

8GB, 2 x 4GB, DDR4, 3200MHz, dual-channel 16GB, 1 x 16GB, DDR4, 3200MHz, single-channel

16GB, 2 x 8GB, DDR4, 3200MHz, dual-channel

16GB, 4 x 4GB, DDR4, 3200MHz, dual-channel 32GB, 1 x 32GB, DDR4, 3200MHz, single-channel

32GB, 2 x 16GB, DDR4, 3200MHz, dual-channel

32GB, 4 x 8GB, DDR4, 3200MHz, dual-channel 64GB, 2 x 32GB, DDR4, 3200MHz, dual-channel 64GB, 4 x 16GB, DDR4, 3200MHz, dual-channel

128GB, 4 x 32GB, DDR4, 3200MHz, dual-channel

Ubuntu® Linux® 20.04 LTS, 64-bit

Windows 11 Pro National Education, 64-bit

#### TECHNICAL SPECIFICATION

OntiPlex 5000 Micro

Intel® Pentium® G7400T, 6MB cache, 2 cores, 4 threads, up to 2.80GHz, 35W

12th Generation Intel® Core™ i3-12100T, 12MB cache. 4 cores, 8 threads, 2.20GHz to 4.10GHz, 35W

12th Generation Intel® Core™ i3-12300T, 12MB cache, 4 cores, 8 threads, 2,30GHz to 4,20GHz, 35W 12th Generation Intel® Core™ i5-12400T, 18MB cache.

6 cores, 12 threads, 1.80GHz to 4.20GHz, 35W 12th Generation Intel® Core™ i5-12500T vPro®, 18MB

cache, 6 cores, 12 threads, 2.00GHz to 4.40GHz, 35W

12th Generation Intel® Core™ i5-12600T vPro®, 18MB cache, 6 cores, 12 threads, 2,10GHz to 4,60GHz, 35W 12th Generation Intel® Core™ i7-12700T vPro®, 25MB cache, 12 cores, 20 threads, 1.40GHz to 4.70GHz,

Windows 11 Home, 64-bit

Windows 11 Pro, 64-bit Windows 11 Downgrade (Windows 10 image)
Windows 11 Pro Education, 64-bt Windows 11 CMIT Government Edition, 64-bit (China only)
Kylin Linux® Desktop version 10.1 (China only) Ubuntu® Linux® 20.04 LTS, 64-bit

4GB, 1 x 4GB, DDR4, 3200MHz, single-channel 8GB, 1 x 8GB, DDR4, 3200MHz, single-channel 8GB, 2 x 4GB, DDR4, 3200MHz, dual-channel 16GB, 1 x 16GB, DDR4, 3200MHz, single-channel 16GB, 2 x 8GB, DDR4, 3200MHz, dual-channel 32GB, 1 x 32GB, DDR4, 3200MHz, single-channel 32GB, 2 x 16GB, DDR4, 3200MHz, dual-channel 64GB, 2 x 32GB, DDR4, 3200MHz, dual-channel

#### OPERATING SYSTEM<sup>1</sup>

Windows 11 Home, 64-bit Windows 11 Pro, 64-bit

Windows 11 Downgrade (Windows 10 image)
Windows 11 Pro National Education, 64-bit Windows 11 CMIT Government Edition, 64-bit

(China only)
Kylin Linux® Desktop version 10.1 (China only) Ubuntu® Linux® 20.04 LTS, 64-bit

#### MEMORY OPTIONS<sup>1,2,3</sup>

4GB, 1 x 4GB, DDR4, 3200MHz, single-channel 8GB, 1 x 8GB, DDR4, 3200MHz, single-channel 8GB, 2 x 4GB, DDR4, 3200MHz, dual-channel 16GB, 1 x 16GB, DDR4, 3200MHz, single-channel 16GB, 2 x 8GB, DDR4, 3200MHz, dual-channel 16GB, 4 x 4GB, DDR4, 3200MHz, dual-channel 32GB, 1 x 32GB, DDR4, 3200MHz, single-channel 32GB, 2 x 16GB, DDR4, 3200MHz, dual-channel 32GB, 4 x 8GB, DDR4, 3200MHz, dual-channel 64GB, 2 x 32GB, DDR4, 3200MHz, dual-channel 64GB, 4 x 16GB, DDR4, 3200MHz, dual-channel 128GB, 4 x 32GB, DDR4, 3200MHz, dual-channel

#### PRIMARY HARD DISK DRIVES<sup>1,5</sup>

2.5inch, 1TB, 5400RPM, SATA, HDD 2.5inch, 2TB, 5400RPM, SATA, HDD 2.5inch, 500GB, 7200RPM, SATA, HDD 2.5inch, 1TB, 7200RPM, SATA, HDD 2.5inch, 500GB, 7200RPM, SATA, HDD, Self-Encrypting, Opal 2.0, FIPS

3.5inch, 4TB, 5400RPM, SATA, HDD 3.5inch, 1TB, 7200RPM. SATA. HDD 3.5inch, 2TB, 7200RPM, SATA, HDD M.2 2230, 256GB, PCIe NVMe Gen3 x4, Class 35 SSD M.2 2230, 512GB, PCIe NVMe Gen3 x4, Class 35 SSD

M.2 2230, 1TB, PCIe NVMe Gen3 x4, Class 35 SSD M.2 2230, 256GB, PCle NVMe Gen3 x4, Class 35 SSD, self-encrypting drive M.2 2280, 512GB, PCIe NVMe Gen3 x4, Class 40 SSD,

self-encrypting drive M.2 2280, 1TB, PCIe NVMe Gen3 x4, Class 40 SSD,

self-encrypting drive M.2 2280, 512GB, PCIe NVMe Gen4 x4, Class 40 SSD M.2 2280, 1TB, PCIe NVMe Gen4 x4, Class 40 SSD

M.2 2280, 2TB, PCIe NVMe Gen4 x4, Class 40 SSD

#### GRAPHICS

Intel® UHD Graphics 710 with 12th Generation Intel® Pentium® Gold G7400 processor Intel® UHD Graphics 730 with 12th Generation Intel® Core™ i3-12100, i3-12300, and i5-12400 processors Intel® UHD Graphics 770 with 12th Generation Intel® Core™ i5-12500, i5-12600, and i7-12700 processors AMD Radeon™ RK640, 4GB GDDR5 (optional)
AMD Radeon™ 550, 2GB GDDR5 (optional)
AMD Radeon™ 540, 1GB GDDR5 (optional)

2.5inch, 1TB, 5400RPM, SATA, HDD 2.5inch, 2TB, 5400RPM, SATA, HDD 2.5inch, 500GB, 7200RPM, SATA, HDD 2.5inch, 1TB, 7200RPM, SATA, HDD 2.5inch, 500GB, 7200RPM, SATA, HDD, Self-Encrypting, Opal 2.0, FIPS 3.5inch, 4TB, 5400RPM, SATA, HDD 3.5inch, 1TB, 7200RPM, SATA, HDD 3.5inch, 2TB, 7200RPM, SATA, HDD M.2 2230, 256GB, PCIe NVMe Gen3 x4, SSD, Class 35 M.2 2230, 512GB, PCIe NVMe Gen3 x4, SSD, Class 35 M.2 2230, 1TB, PCIe NVMe Gen3 x4, SSD, Class 35 M.2 2230, 256GB, PCIe NVMe Gen3 x4, SSD, Class 35, Self-Encrypting, Opal 2.0, FIPS M.2 2280, 512GB, PCle NVMe Gen4 x4, SSD, Class 40 M.2 2280, 1TB, PCIe NVMe Gen4 x4, SSD, Class 40 M.2 2280, 2TB, PCIe NVMe Gen4 x4, SSD, Class 40 M.2 2280, 512GB, PCIe NVMe Gen3 x4, SSD, Class 40, Self-Encrypting, Opal 2.0, FIPS M.2 2280, 1TB, PCIe NVMe Gen3 x4, SSD, Class 40, Self-Encrypting, Opal 2.0, FIPS

Intel® UHD Graphics 710 with 12th Generation Intel®Pentium® Gold G7400 processor Intel® UHD Graphics 730 with 12th Generation Intel® Core™ i3-12100, i3-12300, and i5-12400 processors Intel® UHD Graphics 770 with 12th Generation Intel® Core™ i5-12500, i5-12600, and i7-12700 processors AMD Radeon™ RX 640, 4GB GDDR5
AMD Radeon™ 540, 1GB GDDR5
AMD Radeon™ 550, 2GB GDDR5

2.5-inch, 1TB, 5400RPM, SATA, HDD 2.5-inch, 2TB, 5400RPM, SATA, HDD 2.5-inch, 500GB, 7200RPM, SATA, HDD 2.5-inch, 1TB, 7200RPM, SATA, HDD 2.5-inch, 500GB, 7200RPM, SATA, HDD, Self-Encrypting, Opal 2.0, FIPS M.2 2230, 256GB, PCIe NVMe Gen3 x4, SSD, Class

M.2 2230, 512GB, PCIe NVMe Gen3 x4, SSD, Class M.2 2230, 1TB, PCIe NVMe Gen3 x4, SSD, Class 35

M.2 2230, 256GB, PCIe NVMe Gen3 x4, SSD, Class 35, Self-Encrypting, Opal 2.0, FIPS M.2 2280, 512GB, PCIe NVMe Gen4 x4, SSD, Class

M.2 2280, 2TB, PCIe NVMe Gen4 x4, SSD, Class 40 M.2 2280, 512GB, PCIe NVMe Gen3 x4, SSD, Class 40, Self-Encrypting, Opal 2.0, FIPS M.2 2280, 1TB, PCle NVMe Gen3 x4, SSD, Class 40,

Self-Encrypting, Opal 2.0, FIPS

Intel® UHD Graphics 710 with 12th Generation Intel® Pentium® Gold G7400T processor

Intel® UHD Graphics 730 with 12th Generation Intel® Core™ i3-12100T, i3-12300T, and i5-12400T processors

Intel® UHD Graphics 770 with 12th Generation Intel® Core™ i5-12500, i5-12600T, and i7-12700T processors

#### FEATURE TECHNICAL SPECIFICATION

MODEL NUMBER<sup>1</sup> OntiPlex 5000 Tower

DISPLAY OPTIONS

Dell 24 Monitor - P2422H Dell UltraSharp 24 Monitor - U2422H

CASE COLOUR Dell Standard Black

PRODUCTIVITY SOFTWARE<sup>1</sup>

Microsoft Office 30-day trial Microsoft Office Home and Business 2019 Microsoft Office Professional 2019 Dell Hybrid Client 1.6 (optional) Dell Optimizer 3.0

SECURITY SOFTWARE

McAfee® Small Business Security 30-day free trial McAfee® Small Business Security 12-month

subscription McAfee® Small Business Security 36 month

Subscription

Intel Guard Technologies & Secure Key: Software Guard (SGX), Data Guard (vPro only), Boot Guard, BIOS Guard (Core CPU's only), OS Guard (Core CPU's only) and Secure Key (i5 or greater only) Intel Runtime BIOS Resilience (Copper Point) with

attestation via Nifty Rock + Intel TXT
Support of Absolute Persistent Module BIOS agent v2

OpenXT validation required

SafeGuard and Response, powered by VMware Carbon Black and Secureworks Next Generation Antivirus (NGAV)

Endpoint Detection and Response (EDR)
Threat Detection and Response (TDR) Managed Endpoint Detection and Response Incident Management Retainer Emergency Incident Response

WARRANTY9,10

 $\ensuremath{\mathtt{3}}$  years basic warranty with hardware service on site service after remote diagnosis

4 years basic warranty extension 5 years basic warranty extension

3-year ProSupport with Next Business Day on-site service

4-year ProSupport with Next Business Day on-site service

5-year ProSupport with Next Business Day on-site service

3-year ProSupport Plus for Client with Next Business Day on-site service

4-year ProSupport Plus for Client with Next Business Day on-site service

5-year ProSupport Plus for Client with Next Business Day on-site service

ACCIDENTAL DAMAGE SERVICES

3-year Accidental Damage Service 4-year Accidental Damage Service 5-year Accidental Damage Service

KEYBOARD1

Dell Premier Multi-Device Wireless Keyboard and

Mouse - KM7321W

PORTS Front:

USB 3.2 Gen 2 Type-C® port USB 2.0 Type-A port with PowerShare USB 2.0 Type-A port USB 3.2 Gen 1 Type-A port

Universal audio jack

(4) USB 3.2 Gen 1 Type-A ports

(2) USB 2.0 Type-A ports with Smart Power On RJ45 Ethernet port

(2) DisplayPort 1.4a ports

Optional video port (HDMI 2.0b/DisplayPort 1.4/VGA/USB 3.2 Gen 2 Type-C port with DisplayPort

Serial/PS2 port (optional)

OPTICAL DRIVE

8x DVD-ROM (optional) 8x DVD±RW (optional)

TECHNICAL SPECIFICATION

OptiPlex 5000 Small Form Factor

Dell 24 Monitor - P2422H Dell UltraSharp 24 Monitor - U2422H

Dell Standard Black

Microsoft Office 30-day trial Microsoft Office Home and Business 2019 Microsoft Office Professional 2019 Dell Hybrid Client 1.6 (optional) Dell Optimizer 3.0

McAfee® Small Business Security 30-day Free Trial McAfee® Small Business Security 12-month subscription

McAfee® Small Business Security 36-month

Subscription
Intel Guard Technologies & Secure Key: Software Guard (SGX), Data Guard (vPro only), Boot Guard, BIOS Guard (Core CPU's only), OS Guard (Core CPU's only) and Secure Key (i5 or greater only) Intel Runtime BIOS Resilience (Copper Point) with

attestation via Nifty Rock + Intel TXT Support of Absolute Persistent Module BIOS agent v2 OpenXT validation required

SafeGuard and Response, powered by VMware Carbon Black and Secureworks Next Generation Antivirus (NGAV) Endpoint Detection and Response (EDR)
Threat Detection and Response (TDR) Managed Endpoint Detection and Response

Incident Management Retainer Emergency Incident Response

3 years basic warranty with hardware service on-site service after remote diagnostics

4 years basic warranty extension 5 years basic warranty extension

3-year ProSupport with Next Business Day on-site service

4-year ProSupport with Next Business Day on-site service

5-year ProSupport with Next Business Day on-site service 3-year ProSupport Plus for Client with Next Busi-

ness Day on-site service 4-year ProSupport Plus for Client with Next Busi-

ness Day on-site service

5-year ProSupport Plus for Client with Next Business Day on-site service

3-year Accidental Damage Service 4-year Accidental Damage Service 5-year Accidental Damage Service

Dell Premier Multi-Device Wireless Keyboard and

Mouse - KM7321W

Front:

USB 2.0 Type-A port with PowerShare USB 2.0 Type-A port USB 3.2 Gen 1 Type-A port USB 3.2 Gen 2x1 Type-C® port Universal audio port

(4) USB 3.2 Gen 1 Type-A ports (2) USB 2.0 Type-A ports with Smart Power On (2) DisplayPort 1.4 ports

RJ45 Ethernet port

Optional video port (HDMI 2.0b/DisplayPort 1.4/VGA/USB 3.2 Gen 2 Type-C port with DisplayPort

Serial/PS2 port (optional)

8x DVD±RW, Slimline 9.5mm (optional) 8x DVD-ROM 9.5mm (optional)

OptiPlex 5000 Micro

Dell 24 Monitor - P2422H Dell UltraSharp 24 Monitor - U2422H

Dell Standard Black

Microsoft Office 30-day trial Microsoft Office Home and Business 2019 Microsoft Office Professional 2019 Dell Hybrid Client 1.6 (optional) Dell Optimizer 3.0

McAfee® Small Business Security 30-day free trial McAfee® Small Business Security 12-month subscription

TECHNICAL SPECIFICATION

McAfee® Small Business Security 36 month Subscription

Intel Guard Technologies & Secure Key: Software Guard (SGX), Data Guard (vPro only), Boot Guard,

BIOS Guard (Core CPU's only), OS Guard (Core CPU's only) and Secure Key (i5 or greater only)

Intel Runtime BIOS Resilience (Copper Point) with attestation via Nifty Rock + Intel TXT Support of Absolute Persistent Module BIOS agent v2

OpenXT validation required SafeGuard and Response, powered by VMware Carbon Black and Secureworks Next Generation Antivirus (NGAV)

Endpoint Detection and Response (EDR) Threat Detection and Response (TDR) Managed Endpoint Detection and Response

Incident Management Retainer

3 years basic warranty with hardware service on site service after remote diagnosis

4 years basic warranty extension 5 years basic warranty extension

3-year ProSupport with Next Business Day on-site

4-year ProSupport with Next Business Day on-site service

5-year ProSupport with Next Business Day on-site service

3-year ProSupport Plus for Client with Next Business Day on-site service 4-year ProSupport Plus for Client with Next

Business Day on-site service -year ProSupport Plus for Client with Next Business Day on-site service

3-year Accidental Damage Service 4-year Accidental Damage Service 5-year Accidental Damage Service

Dell Premier Multi-Device Wireless Keyboard and Mouse - KM7321W

USB 3.2 Gen 1 Type-A port with PowerShare USB 3.2 Gen 2 Type-C® port Universal audio jack

Rear (For 35W):

RJ45 Ethernet port Optional video port (HDMI 2.0b/DisplayPort 1.4/ VGA/USB 3.2 Gen 2 Type-C port with DisplayPort USB 3.2 Gen 1 Type-A port with Smart Power On (3) USB 3.2 Gen 1 Type-A ports (2) DisplayPort 1.4 (HBR2) Power adapter port

No optical drive

#### FEATURE TECHNICAL SPECIFICATION

#### MODEL NUMBER<sup>1</sup> OntiPlex 5000 Tower

SLOTS

SD 4.0 card slot (optional) Full-height Gen 3 PCle x16 slot Full-height Gen 3 PCle x16 (wired x4) slot Full-height Gen 3 PCle x4 (open end) slot (2) full-height Gen 3 PCle x1 slot M.2 2230 slot for Wi-Fi and Bluetooth card

M.2 2230/2280 slot for SSD (4) SATA slots for 3.5-inch/2.5-inch HDD/SSD, and slim Optical Drive

Kensington security-cable slot

Padlock ring

DIMENSIONS US:

Height: 12.77in. (324.30mm) Width: 6.06in. (154.00mm) Depth: 11.50in. (292.20mm) Weight (min): 11.94lb (5.41kg) Weight (max): 16.18lb (7.34kg)

Rest of world:

Height: 324.30mm (12.77in.) Width: 154.00mm (6.06in.) Depth: 292.20mm (11.50in.) Weight (min): 5.41kg (11.94lb) Weight (max): 7.34kg (16.18lb)

CAMERA No camera

AUDIO & SPEAKERS<sup>1</sup>

Realtek Audio Controller, ALC3246-CG Internal speakers (optional)

WIRELESS

Intel® AX211, 2x2 MIMO, 2400Mbps, 2.40GHz/5GHz/6GHz, Wi-Fi 6E (WiFi 802.11ax),

Bluetooth® 5.2

Realtek® RTL8821CE, 1x1, 433Mbps, 2.40GHz/5GHz, Wi-Fi 5 (802.11ac), Bluetooth® 5.0 Realtek® RTL8822CE, 2x2 MIMO, 867Mbps, 2.40GHz/5GHz, Wi-Fi 5 (802.11ac), Bluetooth® 5.0

BATTERY OPTIONS

No battery

POWER OPTIONS

240W internal power supply unit (PSU), 85% Efficient, 80 Plus Bronze 260W internal power supply unit (PSU), 85% Efficient, 80 Plus Bronze 400W internal power supply unit (PSU), 92% Efficient, 80 Plus Platinum

REGULATORY8,12

Product Safety, EMC and Environmental Datasheets:

https://www.dell.com/learn/us/en/uscorp1/productinfo-datasheets-safety-emc-environmental

Dell Regulatory Compliance Home Page: https://www.dell.com/learn/us/en/uscorp1/ regulatory-compliance?s=corp

Dell and the Environment:

https://corporate.delltechnologies.com/en-us/socialimpact/advancing-sustainability/sustainable-supplychain/environment.htm

CHIPSET

Intel® Q670

HARDWARE SECURITY

Kensington security-cable slot Padlock ring Chassis lock slot support

Chassis intrusion switch Lockable cable covers Supply chain tamper alerts

SafeID including Trusted Platform Module (TPM) 2.0 Smart card keyboard (FIPS)

Microsoft 10 Device Guard and Credential Guard

(Enterprise SKU) Microsoft Windows Bitlocker

Local hard drive data wipe through BIOS (Secure

Erase)

Self-encrypting storage drives (Opal, FIPS) Trusted Platform Module TPM 2.0

China TPM Intel Secure Boot Intel Authenticate

SafeBIOS: includes Dell Off-host BIOS Verification. BIOS Resilience, BIOS Recovery, and additional BIOS

TECHNICAL SPECIFICATION

OntiPlex 5000 Small Form Factor

SD 4.0 card slot (optional) Half-height Gen 4 PCle x16 slot Half-height Gen 3 PCle x4 slot M.2 2230 slot for WiFi and Bluetooth card M.2 2230/2280 slot for SSD (3) SATA 3.0 slots for 3.5/2.5-inch HDD, slim optical

Kensington security-cable slot

Padlock ring

US:

Height: 11.42in. (290.00mm) Width: 3.65in. (92.60mm) Depth: 11.53in. (292.80mm) Weight(minimum): 8.47lb (3.84kg) Weight(maximum): 11.39lb (5.16kg)

Rest of world:

Height: 290.00mm (11.42in.) Width: 92.60mm (3.65in.) Depth: 292.80mm (11.53in.) Weight(minimum): 3.84kg (8.47lb) Weight(maximum): 5.16kg (11.39lb)

No camera

Realtek Audio Controller, ALC3246-CG

Intel® AX211, 2x2 MIMO, 2400Mbps, 2.40GHz/5GHz/6GHz, Wi-Fi 6E (WiFi 802.11ax), Bluetooth® 5.2

Realtek® RTL8821CE, 1x1, 433Mbps, 2.40GHz/5GHz, Wi-Fi 5 (802.11ac), Bluetooth® 5.0 Realtek® RTL8822CE, 2x2 MIMO, 867Mbps 2.40GHz/5GHz, Wi-Fi 5 (802.11ac), Bluetooth® 5.0

No battery

240W internal power supply unit (PSU), 85% Efficient, 80 Plus Bronze 260W internal power supply unit (PSU), 85% Efficient, 80 Plus Bronze 300W internal power supply unit (PSU), 92% Efficient, 80 Plus Platinum

Product Safety, EMC and Environmental

Datasheets:

https://www.dell.com/learn/us/en/uscorp1/productinfo-datasheets-safety-emc-environmental

Dell Regulatory Compliance Home Page: https://www.dell.com/learn/us/en/uscorp1/ regulatory-compliance?s=corp

Dell and the Environment:

https://corporate.delltechnologies.com/en-us/socialimpact/advancing-sustainability/sustainable-supplychain/environment.htm

Intel® Q670

Kensington security-cable slot Padlock ring Chasis lock slot support Chassis intrusion switch Lockable cable covers Supply chain tamper alerts

SafeID including Trusted Platform Module (TPM) 2.0 Smart card keyboard (FIPS) Microsoft 10 Device Guard and Credential Guard

(Enterprise SKU)

Microsoft Windows Bitlocker Local hard drive data wipe through BIOS (Secure

Self-encrypting storage drives (Opal, FIPS) Trusted Platform Module TPM 2.0

China TPM Intel Secure Boot Intel Authenticate

SafeBIOS: includes Dell Off-host BIOS Verification, BIOS Resilience, BIOS Recovery, and additional BIOS

TECHNICAL SPECIFICATION

OntiPlex 5000 Micro

Kensington security-cable slot Padlock ring M.2 2230 slot for Wi-Fi and Bluetooth card (2)M.2 2230/2280 slot for SSD Gen4 x4 SATA slot for 2.5-inch HDD

Height: 7.17in. (182.00mm) Width: 1.42in. (36.00mm) Depth: 7.00in. (178.00mm) Weight: 2.06lbs. (0.94kg)

Rest of world:

Height: 182.00mm (7.17in.) Width: 36.00mm (1.42in.) Depth: 178.00mm (7.00in.) Weight: 0.94kg (2.06lbs.)

No camera

Realtek Audio Controller, ALC3246-CG

Intel® AX211, 2x2 MIMO, 2400Mbps, 2.40GHz/5GHz/6GHz, Wi-Fi 6E (WiFi 802.11ax), Bluetooth® 5.2

Realtek® RTL8821CE, 1x1, 433Mbps, 2.40GHz/5GHz, Wi-Fi 5 (802.11ac), Bluetooth® 5.0 Realtek® RTL8822CE, 2x2 MIMO, 867Mbps,

2.40GHz/5GHz, Wi-Fi 5 (802.11ac), Bluetooth® 5.0

No battery

90W AC adapter, 4.5mm barrel for 35W 130W AC adapter, 4.5mm barrel for 35W

Product Safety, EMC and Environmental Datasheets:

https://www.dell.com/learn/us/en/uscorp1/productinfo-datasheets-safety-emc-environmental

Dell Regulatory Compliance Home Page: https://www.dell.com/learn/us/en/uscorp1/ regulatory-compliance?s=corp

Dell and the Environment:

https://corporate.delltechnologies.com/en-us/socialimpact/advancing-sustainability/sustainable-supplychain/environment.htm

Intel® Q670

Kensington security-cable slot Padlock ring Chasis lock slot support Chassis intrusion switch Lockable cable covers Supply chain tamper alerts SafeID including Trusted Platform Module (TPM) 2.0

Smart card keyboard (FIPS) Microsoft 10 Device Guard and Credential Guard

(Enterprise SKU) Microsoft Windows Bitlocker

Local hard drive data wipe through BIOS (Secure

Self-encrypting storage drives (Opal, FIPS) Trusted Platform Module TPM 2.0

China TPM Intel Secure Boot Intel Authenticate

#### FEATURE TECHNICAL SPECIFICATION

MODEL NUMBER! OntiPlex 5000 Tower

RECOMMENDED ACCESSORIES

Keyboard and Mouse:

Dell Premier Multi-Device Wireless Keyboard and Mouse - KM7321W

Audio Speakers: Dell Slim Soundbar - SB521A

Audio Headsets: Dell Pro Stereo Headset - WH3022

TECHNICAL SPECIFICATION

OntiPlex 5000 Small Form Factor

Keyboard and Mouse:

Dell Premier Multi-Device Wireless Keyboard and

Mouse - KM7321W Audio Speakers:

Dell Slim Soundbar - SB521A

Audio Headsets:

Dell Pro Stereo Headset - WH3022

TECHNICAL SPECIFICATION

OptiPlex 5000 Micro

Keyboard and Mouse:

Dell Premier Multi-Device Wireless Keyboard and

Mouse - KM7321W Audio and Speakers:

Dell Slim Soundbar - SB521A

Audio Headsets:

Dell Pro Stereo Headset - WH3022

Mounting Options:

OptiPlex Micro and Thin Client Vertical Stand
OptiPlex Micro and Thin Client and Under-the-Desk

VESA mount Wall Mount OptiPlex Micro and Thin Client PSU Adapter Sleeve OptiPlex Micro and Thin Client Pro 2 E Series Monitor

OptiPlex Micro and Thin Client Dual VESA Mount OptiPlex Micro and Thin Client All-in-One Stand

(MFS22)

SYSTEMS MANAGEMENT Dell Client Command Suite for In-Band systems management

Intel® vPro™ Essentials for systems management

Dell Client Command Suite for In-Band systems management

Intel® vPro™ Essentials for systems management

Factory image load

BIOS customization Hardware customization Asset Tagging and Reporting

USB 3.2 Gen 2 Type-C® PCle card Serial port PCle low profile card i225 2.5GBE PCle x1 NIC Card Parallel port PCIe low profile card USB 3.2 Gen 2 Type-A PCle card

Dell Client Command Suite for In-Band systems

management

Intel® vPro™ Essentials for systems management

Factory image load BIOS customization Hardware customization Asset Tagging and Reporting

N/A

CONFIGURATION SERVICES Factory image load

BIOS customization Hardware customization Asset Tagging and Reporting

ADD-IN CARDS

SD 4.0 Media Card Reader USB 3.2 Gen 2 Type-C PCle Card PCle Parallel/Serial Card M.2 Expansion Card USB 3.2 Gen 2 Type-A Card PS/2 Card

#### Product Disclosures: pages 2-5

- \* EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.
- 1 Final performance benchmarks pending.
- 2 Available on Windows® 11
- 3 Based on internal analysis, April 2021. Dell Optimizer available in 2020 devices, not available in OptiPlex 3000 series. Feature availability and functionality varies by model.
- 4 Based on internal analysis, April 2021.
- 5 Based on internal analysis, April 2021, only applies to OptiPlex Micro.
- 6 Based on internal analysis, April 2021. 20% closed-loop recycled aluminum by weight in the 2TB 3.5" hard drive, optional on the OptiPlex 7090 Tower and 7090 Small Form Factor.
- 12 Based on internal analysis, April 2021. Dell Optimizer available in 2020 devices, not available in OptiPlex 3000 series, Latitude 3310 2-in-1 and Latitude Chromebook Enterprise. Feature availability and functionality varies by model.
- 13 ExpressResponse must be enabled in the Applications feature. DO learns how user uses the selected application(s) over several hours. Based on Dell testing using Sysmark 2018 benchmark on a Latitude system running productivity applications; and using performance evaluation benchmarks on Precision mobile workstations running ISV applications, March 2020. Improvement will vary based on product configuration, use, application and other factors.
- 14 User must input preferred apps first in order for them to be analyzed.
- 15 ExpressConnect available with Dell Optimizer software version 2.0 and onwards. Download the latest at https://www.dell.com/support/home.
- 16 Simultaneous multi-network connection (or Connection based teaming) is a new connectivity feature under ExpressConnect. It simultaneously sends and receives data and video traffic using two or more wired or wireless connections. Based on Dell internal analysis.
- 17 Best network selection based on signal strength, channel congestion, router type and others. Network suggestions based on user credentials.

#### Product Disclosures: pages 6-9

- 1 Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Technical Guidebook published on www.dell.com/support.
- 2 System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.
- 3 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.
- 4 Particular versions of Microsoft Windows may not support the full Bluetooth 4.2 functionality.
- 5 Storage Option: GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
- 6 TPM is available in selected regions.
- 7 Computrace: Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.lojackforlaptops.com.
- 8 Please refer to www.epeat.net for specific country registration rating and participation.
- 9 Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.
- 10 On-site service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
- 11 Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions.
- 12 For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information www.dell.com/support/home/us/en/19.

